

Selected publications

- Ruszkiczay-Rüdiger, Zs.**, Braucher, R., Novothny, Á., Csillag, G., Fodor, L., Molnár, G., Madarász, B., ASTER Team. 2016. Tectonic and climatic forcing on terrace formation: coupling in situ produced ^{10}Be depth profiles and luminescence approach, Danube River, Hungary, Central Europe. *Quaternary Science Reviews* 131, 127-147.
- Ruszkiczay-Rüdiger, Zs.**, Kern, Z. 2016. Permafrost or seasonal frost? - A review of paleoclimate proxies of the last glacial cycle in the East Central European lowlands. *Quaternary International*, 415, 241-252. <http://dx.doi.org/10.1016/j.quaint.2015.07.027>
- Ruszkiczay-Rüdiger, Zs.**, Kern, Z., Urdea, P., Braucher, R., Madarász, B., Schimmelpfennig, I., ASTER Team 2016. Revised deglaciation history of the Pietrele- Stânișoara glacial complex, Retezat Mts, Southern Carpathians, Romania. *Quaternary International*, 415, 216-229. doi:10.1016/j.quaint.2015.10.085
- Sebe, K., Csillag, G., **Ruszkiczay-Rüdiger, Zs.**, Fodor, L., Thamó-Bozsó, E., Müller, P., Braucher, R. 2011. Wind erosion under cold climate: A fossil periglacial mega-yardang system in Central Europe (Western Pannonian Basin, Hungary). *Geomorphology*, 134, pp. 470-482.
- Ruszkiczay-Rüdiger, Zs.**, Braucher, R., Csillag, G., Fodor, L., Dunai, T.J., Bada, G., Bourlés, D., Müller, P. 2011. Dating pleistocene aeolian landforms in Hungary, Central Europe, using in situ produced cosmogenic ^{10}Be . *Quaternary Geochronology*, 6, pp. 515-529.
- Ruszkiczay-Rüdiger, Zs.**, Fodor, L., Horváth, E., Telbisz, T. 2009. Discrimination of fluvial, eolian and neotectonic features in a low hilly landscape, a DEM-based morphotectonic analysis in the Central Pannonian Basin, Hungary. *Geomorphology*, 104, 3-4, pp. 203-217.
- Ruszkiczay-Rüdiger, Zs.**, Fodor, L., Horváth, E. 2007. Neotectonic and landscape evolution of the Gödöllő Hills, Central Pannonian Basin. *Global and Planetary Change* 58, pp. 181-196.
- Karátson, D., Németh, K., Székely, B., **Ruszkiczay-Rüdiger, Zs.**, Pécskay, Z. 2006. Incision of a river curvature due to exhumed Miocene volcanic landforms: Danube Bend, Hungary. *Int. J. Earth Sci. (Geol. Rundsch)* 95. (5.) pp. 929-944.
- Fodor, L., Bada, G., Csillag, G., Horváth, E., **Ruszkiczay-Rüdiger, Zs.**, Palotás, K., Síkhegyi, F., Timár, G., Cloetingh, S., Horváth, F. 2005. An outline of neotectonic structures and morphotectonics of the western and central Pannonian Basin. *Tectonophysics* 410. 1-4. pp. 15-41.
- Ruszkiczay-Rüdiger, Zs.**, Dunai, T.J., Bada, G., Fodor, L., Horváth, E. 2005. Middle to late Pleistocene uplift rate of the Hungarian Mountain Range at the Danube Bend (Pannonian Basin) using in situ produced ^3He . *Tectonophysics*, 410. 1-4. pp. 173-187.
- Ruszkiczay-Rüdiger, Zs.**, Fodor, L., Bada, G., Leél-Össy, Sz., Horváth, E., Dunai, T.J. 2005. Quantification of Quaternary vertical movements in the central Pannonian Basin: A review of chronologic data along the Danube River, Hungary. *Tectonophysics*, 410. 1-4. pp. 157-172.